



**INPUT SELECTOR SWITCH**

POSITION	FUNCTION
1	EUR 78
2	NARTB TAPE
3	RIIA NARTB ORTHO
4	TAPE
5	DECK 2 (FRONT)

**STEREO SELECTOR SWITCH**

POSITION	FUNCTION
1	DECK 1 (FRONT)
2	DECK 1 (REAR)
3	DECK 2 (FRONT)
4	DECK 2 (REAR)

**STEREO SELECTOR SWITCH**

POSITION	FUNCTION	POSITION	FUNCTION
1	BALANCE LEFT	5	REVERSE STEREO
2	BALANCE RIGHT	6	LEFT INPUT
3	MONOPHONIC RECORDS	7	RIGHT INPUT
4	STEREO		

- TYPE 296 DYNABURAL DUAL CHANNEL LABORATORY AMPLIFIER**
- THE FOLLOWING CONTROLS ARE GANGED WITH IDENTICAL CONTROLS IN EACH CHANNEL:
1. INPUT SELECTOR
  2. SCRATCH FILTER
  3. LOUDNESS-VOLUME
  4. LOUDNESS
  5. DYNABURAL

REVISIONS

© hhscoff.com

SCALE: 296 CIRCUIT DIAGRAM DEC 66

H. H. SCOTT, INC. MAYNARD, MASS. U.S.A.

DESIGNER: J. G. PROOF ENGINEER: J. G. PROOF DWG. NUMBER: D-296-C1 SUR.